
AU	TOMATIC WEIGHER,	WEIGHING MACHINI	ES
Туре	AW115	AW116	AW120
Suitable for	Weighing of fruits and vegetables	Weighing of fruits and vegetables	Weighing of fruits and vegetables - stainless steel version
Packing type	Manual packing	Manual packing	Manual packing
Max. efficiency (output)	up to 4 t/h *	up to 4,2 t/h *	up to 4 t/h *
Weighing range	1-15kg	1-20kg	1-15kg
Power	230V /50Hz	230V /50Hz	230V /50Hz
Standard equipment	touch control panel 7"	touch control panel 7"	touch control panel 7"
	1 PVC belt with FDA attest	2 PVC belt with FDA attest	1 PVC belt with FDA attest
	weighing container	weighing container	weighing container
	2 interchangeable hoppers	2 interchangeable hoppers	2 interchangeable hoppers
	locking flap	locking flaps	locking flaps
	stainless steel side conveyor belt	stainless steel side conveyor belt	INNOX - stainless steel version
	transporting wheels	transporting wheels	transporting wheels
	powder coated	powder coated	Х
Additional equipment			
Stainless steel construction	YES	YES	YES
Conveyor belt for manual sewing/welding bags (painted)	YES	YES	YES
1- thread manual sewing machine Fischbein	YES	YES	YES
1- thread manual sewing machine NewLong	YES	YES	YES
Welding machine for plastic bags	YES	YES	YES
Stand for sewing machine/ welding machine (painted)	YES	YES	YES
Belt adapted to negative temperatures	x	x	YES



Туре	AW312	AW412	AW550
Suitable for	Weighing of fruits and vegetables	Weighing of fruits and vegetables	Weighing loose materials
Packing type	Manual packing. Cooperation with raschel machine	Manual packing. Cooperation with raschel machine	Manual packing, Cooperation with receiving conveyor
Max. efficiency (output)	up to 6 t/h *	up to 6 t/h *	up to 5 t/h *
Weighing range	1-30kg	1-30kg	1-50kg
Power	230V /50Hz	230V /50Hz	230V 50Hz
Standard equipment	touch control panel 7"	touch control panel 7"	touch control panel 7"
	2 PVC belt with FDA attest	1 PVC belt with FDA attest	1 "herringbone" dosing tape
	weighing container	weighing container	funnel chute
	2 interchangeable hoppers	2 interchangeable hoppers	pneumatic bag hanging mechanism
	locking flaps	locking flap	dust extraction channel
	stainless steel side conveyor belt	stainless steel side conveyor belt	additionally sealed sides
	transporting wheels	transporting wheels	transporting wheels
	powder coated	powder coated	powder coated
Additional equipment			
Stainless steel construction	YES	YES	YES
Increasing container's capacity to 50 kg	YES	YES	x
Conveyor belt for manual sewing/welding bags	YES	YES	YES
1- thread manual sewing machine Fischbein	YES	YES	YES
1- thread manual sewing machine NewLong	YES	YES	YES
Welding machine for plastic bags	YES	YES	YES
Stand for sewing machine/ welding machine	YES	YES	YES



AUTOMATIC WEIGHER, WEIGHING MACHINES				
Туре	AW215	AW216		
Suitable for	Weighing frozen foods, bulk materials, nuts	Weighing frozen foods, bulk materials, nuts		
Packing type	Manual packaging, cooperation with the clipper	Manual packaging, cooperation with the clipper		
Max. efficiency (output)	up to 2 t/h *	up to 2 t/h *		
Weighing range	0,5kg - 10kg	0,2kg - 2kg		
Power	230V 50Hz	230V 50Hz		
Standard equipment	touch control panel 7"	touch control panel 7"		
	2 vibrating feeders	2 vibrating feeders		
	weighing bucket	2 weighing buckets		
	loading conveyor	loading conveyor		
	locking flaps	locking flaps		
	stainless steel	stainless steel		
	transporting wheels	transporting wheels		
Additional equipment				
Stainless steel construction	YES	YES		
Conveyor belt for manual sewing/welding bags	YES	YES		
1- thread manual sewing machine Fischbein	YES	YES		
1- thread manual sewing machine NewLong	YES	YES		
Welding machine for plastic bags	YES	YES		
Stand for sewing machine/ welding machine	YES	YES		
Belt adapted to negative temperatures	YES	YES		



РА	CKAGING MACHINES	, SEWING MACHINES	S
Туре	RN01	RF900	RF100
Suitable for	Packing of fruits and vegetables in a mesh bag	Packing of fruits and vegetables in a mesh bag	Packing of fruits and vegetables in a mesh bag
Sewing head	one- thread sewing machine New Long NP-07	two- thread sewing machine Yao-Han F900	two- thread sewing machine Fischbein F100
Max. efficiency (output)	up to 6 t/h *	up to 10 t/h *	up to 12 t/h *
The size of the package	2kg - 25 kg	2kg - 25 kg	2kg - 25 kg
Power	3x400V	3x400V	3x400V
Standard equipment	touch control panel 4,3"	touch control panel 4,3"	touch control panel 4,3"
	smoke extraction channel	smoke extraction channel	smoke extraction channel
	transporting wheels	transporting wheels	transporting wheels
	powder coated	powder coated	powder coated
	automatic lubrication system of the sewing head	x	х
Additional equipment			
Stainless steel construction	YES	YES	YES
Chute locking sensor	YES	YES	YES
Label feeder	YES	YES	YES
Transparent protective doors (polycarbonate)	YES	YES	YES
Ventilators (a set of 2 pcs)	YES	YES	YES
Conveyor belt vibration engine	YES	YES	YES
Intake hopper vibration system	YES	YES	YES
Feed conveyor for cooperation with lower weights machines	YES	YES	YES
Label printer (incl.: rolls frame, mounting bracket, label feeder)		YES	











Туре	FW-01/5k	FW-01/10k
Suitable for	Packing of fruits and vegetables in foil bag	Packing of fruits and vegetables in foil bag
Welding	constant temperature welding part	constant temperature welding part
Max. efficiency (output)	up to 25 bags/min *	up to 25 bags/min *
The size of the package	1kg - 5 kg	3kg - 10 kg
Power	3x400V	3x400V
Standard equipment	touch control panel	touch control panel
	chute locking sensor	chute locking sensor
	transporting wheels	transporting wheels
	stainless steel construction	stainless steel construction
Additional equipment		
Label printer (including: rolls frame, mounting bracket, label feeder)	YES	
Transparent protective doors (polycarbonate)	YES	YES
Conveyor belt vibration engine	YES	YES
Intake hopper vibration system	YES	YES



MULTI-MA	CHINE (PACKAGING MACHINE \	NITH WEIGHER)
Туре	AWRM01	AWRM02
Suitable for	Weighing of fruits and vegetables in a mesh bag	Weighing of fruits and vegetables in a mesh bag
Sewing head	one- thread sewing machine New Long NP-07	one- thread sewing machine New Long NP-07
Max. efficiency (output)	up to 6 t/h *	up to 6 t/h *
The size of the package	1kg - 25 kg (manually 50kg)	1kg - 25 kg (manually 50kg)
Power	3x400V	3x400V
Standard equipment	touch control panel 7"	touch control panel 7"
	smoke extraction channel	smoke extraction channel
	transporting wheels	transporting wheels
	powder coated	powder coated
	automatic lubrication system of the sewing head	automatic lubrication system of the sewing head
	1 PVC belt with FDA attest	2 PVC belt with FDA attest
Additional equipment		
Stainless steel construction	YES	YES
Chute locking sensor	YES	YES
Label feeder	YES	YES
Transparent protective doors (polycarbonate)	YES	YES
Ventilators (a set of 2 pcs)	YES	YES
Conveyor belt vibration engine	YES	YES
Intake hopper vibration system	YES	YES
Replacing the sewing head with 2- thread YaoHan F900	YES	YES
Replacing the sewing head with 2- thread Fischbein F100	YES	YES
Label printer (including: rolls frame, mounting bracket, label feeder)	YE	S



MULTIHEA	D COMBINATION	WEIGHING MACHIN	IES
Туре	MW413	MW813	MW1013
Suitable for	Vegetables and fruits	Vegetables and fruits	Vegetables and fruits
Suitable for	weighing	weighing	weighing
Number of channel/buckets	4	8	10
Max. efficiency (output)	up to 6 t/h *	up to 12 t/h *	up to 12 t/h *
Weighing range	1kg - 25 kg (50kg)*	1kg - 25 kg (50kg)*	0,5kg - 25 kg (50kg)*
Power	3x400V	3x400V	3x400V
Standard equipment		touch control panel 7"	
		vibratory feeders	
		locking flaps	
		receiving conveyor	
	coope	eration with two packaging mac	hines
	frame with a service platform		
	parts in contact with the product made of acid resistant steel		
	oil-stabilized load cells		
		powder coated	
Additional equipment			
Stainless steel construction	YES	YES	YES
Loading conveyor belt LBC.340.70	YES	YES	YES
Loading conveyor belt LBC.360.70	YES	YES	YES
Loading conveyor belt LBC.380.70	YES	YES	YES
Surcharge for the 100 cm wide loading	120		120
conveyor belt (LBC type)		YES	
Additional cross loading conveyor	)/FO	NEO.	NEO.
BC.120.70	YES	YES	YES
Surcharge for stainless steel	YES	VEC	YES
construction of the loading conveyor	TEO	YES	TEO
Movable partitions for packing carrots,	YES	YES	YES
parsley		-	
Receiving conveyor for three receivers	YES	YES	YES
Receiving buffer for small portions	YES	YES	YES



MULTIH	EAD COMBINATION	WEIGHING MACHIN	ES
Туре	MW1013 CA	MW1010	MW1210
Suitable for	Vegetables and fruits weighing, intendend for long product	Vegetables and fruits weighing, intended for small portions	Vegetables and fruits weighing, intended for small portions
Number of channel/buckets	10	10	12
Max. efficiency (output)	up to 12 t/h *	up to 12 t/h *	up to 12 t/h *
Weighing range	0,5kg - 25 kg (50kg)*	0,5kg - 25 kg (50kg)*	0,5kg - 25 kg (50kg)*
Power	3x400V	3x400V	3x400V
Standard equipment		touch control panel 7"	
		vibratory feeders	
		locking flaps	
		receiving conveyor	
	соор	peration with two packaging mach	nines
		frame with a service platform	
	parts in contact with the product made of acid resistant steel		
	oil-stabilized load cells		
	powder coated		
Additional equipment			
Stainless steel construction	YES	YES	YES
Loading conveyor belt LBC.340.70	YES	YES	YES
Loading conveyor belt LBC.360.70	YES	YES	YES
Loading conveyor belt LBC.380.70	YES	YES	YES
Surcharge for the 100 cm wide loading conveyor belt (LBC type)		YES	
Additional cross loading conveyor BC.120.70	YES	YES	YES
Surcharge for stainless steel construction of the loading conveyor	YES	YES	YES
Movable partitions for packing carrots, parsley	YES	YES	YES
Receiving conveyor for three receivers	YES	YES	YES
Receiving buffer for small portions	YES	YES	YES





MULTIHEAD	COMBINATION V	VEIGHING MACHI	NES
Туре	MW920	MW925	MW1120
Suitable for	Vegetables and fruits weighing	Vegetables and fruits weighing	Vegetables and fruits weighing
Number of channel/buckets	9	9	11
Max. efficiency (output)	up to 14 t/h *	up to 12 t/h *	up to 14 t/h *
Weighing range	1kg - 25 kg (50kg)*	1kg - 25 kg (50kg)*	1kg - 25 kg (50kg)*
Power	3x400V	3x400V	3x400V
Standard equipment	conveyor feeders	vibratory feeders	vibratory feeders
		touch control panel 7"	
		locking flaps	
		receiving conveyor	
	cooperation with two packaging machines		
	frame with a service platform		
	parts in contact with the product made of acid resistant steel		
	oil-stabilized load cells		
		powder coated	
Price (without tax)			
Additional equipment			
Stainless steel construction	Х	YES	YES
Loading conveyor belt LBC.340.70	YES	YES	YES
Loading conveyor belt LBC.360.70	YES	YES	YES
Loading conveyor belt LBC.380.70	YES	YES	YES
Surcharge for the 100 cm wide loading conveyor belt (LBC type)	YES		
Additional cross loading conveyor BC.120.70	YES	YES	YES
Surcharge for stainless steel construction of the loading conveyor	YES	YES	YES
Movable partitions for packing carrots, parsley	Х	YES	Х
Receiving conveyor for three receivers	YES	YES	YES
Receiving buffer for small portions	YES	YES	YES



		BRUSHING	MACHINES		
Suita	Suitable for Dry cleaning vegetables (potatoes, onion, carrot, other)			rot, other)	
Po	ower		230V or 400V		
Rotatio	on speed	180 rpm			
Standard	equipment		internal control panel		
			constant speed of brushes' rotation		
			ain drive, ball-bearing chain tension		
		ł	neight adjustment, adjustable tilt angl	e	
			powder coated		
		width 55cm	width 80cm	width 110cm	
	10 brushes	B1055	B1080	B1010	
		B (075	<b>-</b> (200	<b>2</b> / 0 / 0	
Number of brushes	12 brushes	B1255	B1280	B1210	
brushes		B1455	B1480		
	14 brushes	B 1400	B 1460	Х	
Additional	lequipment				
Stainless ste	el construction		YES		
Speed control (fr	requency inverter)	YES	YES	YES	
Brush pressure parts		YES	YES	YES	
Dust absorption			YES		
Separator instead of a brush		YES	YES	YES	
Water sprinkler			YES		
Additional top	row of brushes		YES		
	er brush with the ed speed	YES	YES	YES	



Cit	able for	M	lanual coloction of vegetables and fruits	
	ower	IV	lanual selection of vegetables and fruits 230V	
	ar speed		230V 0,05-0,3 m/s	
	l equipment		PVC rolls	
Otaridare			lighting	
			speed control (frequency inverter)	
			height and angle adjustment	
			powder coated	
		width 80cm	width 100cm	width 120cm
		ST2008	ST2010	ST2012
	200 cm			
\ <b>A</b> /: -141-	050	ST2508	ST2510	ST2512
Width	250 cm			
	300 cm	ST3008	ST3010	ST3012
	l equipment			
	el construction	YES		
	nium rolls		YES	
Stainless steel rolls			YES	
•	ollers with the belt		YES	
	2 parts (section waste dle or end of the table)	YES		
Table dividing into 3 parts (section waste mounted in the middle of the table)		YES		
Waste belt con	Waste belt conveyor LBC.250.20 YES			

	TURN TABLES		
Diameter	125cm		
Diameter	150cm		
Standard equipment		stainless steel construction, speed control	
		power : 230V	





BUNKER / BUFFER HOPPER			
Туре	ZB22/2	ZB22/4	ZB22/8
Suitable for	Constant supply of vegetables (potatoes) before the packaging	Constant supply of vegetables (potatoes) before the packaging	Constant supply of vegetables (potatoes) before the packaging
Conscitu	process	process	process
Capacity	up to 2000kg	up to 4000kg	up to 8000kg
Power	3x400V	3x400V	3x400V
Standard equipment	outtlet with adjustable gap	outtlet with adjustable gap	outtlet with adjustable gap
	hooper cascade	hooper cascade	hooper cascade
	adjustable speed inverter	adjustable speed inverter	adjustable speed inverter
	possibility to uploadingon on left and right side	possibility to uploading on left and right side	possibility to uploading on left and right side
	powder coated	powder coated	powder coated
	easy-to-use portable control pedant	easy-to-use portable control pedant	easy-to-use portable control pedant
Additional equipment			
uploading conveyor	YES	YES	YES
stainless steel version	YES	YES	YES
control sensors	YES	YES	YES
inside camera for control	YES	YES	YES







## **BOX FILLING CONVEYOR**

Туре	BC.400.40.BOX		
Suitable for	automatic filling of boxes, cartons		
Capacity	up to 20 boxes / min.		
Power	230v 50Hz		
Standard equipment	filling boxes up to 40 cm wide		
	adjustable speed inverter		
	cooperation with batching and weighing machines		
	the ability to work in both directions		
	regulated high		
	powder coated		
Additional equipment			

stainless steel version

YES



