



Pulsed Electric Field Technology

unlocking the true potential of food



snacks & chips

new product opportunities improved cutting improved crispiness improved texture

more valuable compounds low temperature processing improved colour extraction no enzymes needed faster extraction higher yield







Quick reference list for the benefits of Pulsed Electric Field treatment

higher capacity improved quality better shapes less fracture even colour less oil uptake water savings energy savings

juice & smoothies

low temperature processing continuous 24 hr processing better production planning retained nutritional value extended market reach increased shelf life improved quality retained colour low energy use fresh taste

extraction

drying

brighter retained colour better retained flavour better shape stability better rehydration improved quality higher capacity low energy use



Potatoes being conveyed from an Elea Advantage Belt system

"As PEF is applicable to all products where quality counts it will become the preferred industry technology."

Welcome.

I first came across Pulsed Electric Field almost twenty years ago whilst studying food technology at TU Berlin.

I was immediately intrigued by PEF's dramatic impact on raw materials and the incredible range of possible applications.

Twenty years later I am still fascinated by the benefits and opportunities that we continue to discover about PEF.

Creating pores of a few nanometres diameter in a cell membrane causes substantial change to product characteristic on a macroscopic level and alters the way we think of processing.

PEF can restructure raw materials, improve cutting, increase yield, enhance product quality, extend shelf life and enable new

product development. One targeted treatment brings great value to your business.

Today Elea supplies a range of PEF systems for the food and bioprocessing industry. We have now installed more than 125 Elea PEF systems worldwide.

Prof. Stefan Töpfl

I was very excited to be part of the team who built Elea. We have gathered the world's leading experts in Pulsed Electric Field under one roof at our custom built facility in Quakenbrück, Germany.

Together we can take your concept through research to final installation and production, unlocking the true potential of food.



Welcome to Elea

With a range of systems to suit any production line and over 175 Elea Advantage machines already installed globally, Elea is the world's leading supplier of PEF solutions.

> Elea PEF systems are transforming manufacturing processes - improving output, reducing labour costs, streamlining supply chain logistics and helping to minimise retail waste.

Through dedicated research spanning many years, we have refined our systems and brought astonishing change to the food and beverage sectors. Using only the principles of physics, our Elea Pulsed Electric Field (PEF) systems alter the physical structure of fresh produce and create benefits and applications to significantly increase yield, freshness, flavour and nutritional value, whilst also creating savings in time and energy.

At Elea our drive is the pursuit of unlocking potential in raw materials, including process optimisation and retaining quality. Our dedicated team is forged from some of the finest scientific minds in the sector, and their research has already made extraordinary changes within the food industry.

Our engineers build and construct Elea PEF systems with unparalleled precision to ensure the highest quality end product. We work in close collaboration with our clients and have designed and installed more than 175 Elea PEF systems worldwide.

We have been able to take leaps in our field and look forward to exploring exciting new opportunities, inventions and technical advances for Elea PEF in the future.



Preparing an Elea Advantage system for trials in the pilot hall

Potato string sliced from only one single PEF treated potato

Elea PEF treated potato



PEF alters the physical structure of fresh produce


Through the application of Elea PEF, the potential of raw materials can be unlocked.

With their transformative abilities, our Elea PEF systems change the cell structure of fresh produce to allow for new applications and uses.

Our systems use precise and targeted electrical pulses to open the cell membrane with no adverse effects to the produce. It's a clean, gentle and targeted approach which can be used across a broad range of products to achieve high quality, as well as bringing a new level of efficiency to the process without the use of chemicals.

Through PEF, we can create radical new opportunities for food. Elea PEF alters the cell structure and raw materials have their full potential released. For example, here we can see a string made from single potato that has had its structure altered using PEF. The potato now has the strength and flexibility to maintain its structural integrity and provide new opportunity for product development.

We understand that Elea PEF has an untapped potential that goes beyond the industries that it's currently being applied to. As pioneers of this technology we are working to discover solutions that could be used in the non-food sectors, as well as exploring the value of new raw material such as algae.





plant cell

Average plant cell size is 50-100 μm with a cell membrane 5 nm thick.

magnified cell membrane

Magnified cell membrane with lipid bilayer separating cytoplasm and extracellular fluid. Both containing charged particles.





Due to reduced turgor pressure, the cell structure is now softer and much easier to process.

Larger cell components cannot exit through the pores and are retained within the cell.

Cell structure is left undamaged, water and soluble solids are able to leak out of the newly opened pores.







New shapes, exciting cuts and new snack opportunities

PEF treated raw materials are stronger, longer, much more flexible, easier and cheaper to process

With the Elea Advantage Belt systems we can create radical new exciting opportunities for snacks. PEF positively alters the cell structure and raw materials have their full potential released.

Shown above is a piece of sweet potato being twisted. The sweet potato now has the strength and flexibility to maintain its structural integrity and provides new exciting opportunities for product development.

PEF has a remarkable effect on many different food items. Potatoes, sweet potato, carrots, tubers and other roots pass through the Elea PEF system to become better French fries, chips and other snacks.

Elea PEF increases colour vibrancy, radically improves development of dramatic shapes,

enhances cutting ability, produces a less feathered, smoother surface, improves texture and crispiness - anything is possible.

This can all be achieved with a simple, fast and targeted electro physical process.

PEF treated sweet potato twist



A smoother product surface reduces oil uptake which results in a healthier snack with a better mouthfeel. Less feathering enables better adhesion and distribution of seasoning and flavouring.

Untreated (left) & PEF treated hot air-dried raisin



Improved shapes, brighter colour and exceptional flavour for dried products

Elea PEF Advantage systems help to produce better dried strawberries, bananas, mangos, carrots, bell peppers, mushrooms and many other fruits and vegetables.

PEF treatment leads to a higher quality dried product with increased form stability and less shrinkage. Taste, aroma and colour are retained.

Better shape stability

PEF opens cell membranes, increasing the internal diffusion and providing greater control over the drying process, improving product stability and creating a more appetizing product.

Improved production

Drying processes are enhanced by PEF resulting in energy savings and higher capacities.

Improved rehydration capacity

Better shape preservation with PEF treatment produces a more open product structure, enhancing rehydration. For example PEF treated freeze-dried fruits rehydrate almost instantly with a 20% increase in rehydration capacity.

Higher quality freeze-drying Elea PEF treatment enhances the industrial freeze-drying process, producing a new, healthier, premium product suitable for a wide range of various applications and types of markets.

Improved processes for hot air-drying


PEF enables energy savings with reduced drying time and lower drying temperatures. For example, PEF assisted hot air onion drying enables a reduction of the drying time by approx. 20% together with a reduction in temperature of 10°C in the last drying section.

This results in a higher quality product with retained natural aroma, a more intense flavour and much better shape stability

The improvements above are applicable to all types of drying, such as hot air, freeze, vacuum, microwave or infrared drying.



PEF treated freeze-dried fruit products




Compare the quality of PEF treated and untreated snacks and dried products

PEF dramatically enhances the quality of fried and dried products by enabling greater water release.


The untreated samples shown here have all been taken directly from products available on the supermarket shelves.

Comparing them directly to the PEF treated versions clearly demonstrate the dramatic increases in quality that PEF enables.

PEF results in greater shape stability, better preservation of sensitive colour pigments and greater colour vibrancy, reduced browning and a brighter, more appetising fried or dried product.









untreated (left) & PEF treated freeze dried carrot






PEF stimulation




Positively and negatively charged particles are attracted to their respective electrodes. At reduced energy levels, the polarisation mechanism is inducing a stress response and stimulating cell activity.




Increased growth, higher functionality and enhanced production rates of valuable ingredients.



PEF inactivation



Positively and negatively charged particles are attracted to their respective electrodes. When the field strength exceeds the transmembrane potential, pore formation starts, forcing the cell membranes to open.



The bacteria is now inactivated (dead).



Longer shelf life, fresher taste & better colour with Elea PEF Advantage

Adding value, quality and opportunity to your juice 24 hours a day, every day.

PEF inactivates the bacteria in juice at low temperatures (see pages 18-19) providing the perfect alternative to other more expensive or more destructive processing solutions.

Improving juice quality with Elea PEF

Taste, colour and nutritional value are better retained using the Elea Advantage Pipe range. Elea PEF is a low temperature process and this helps to preserve valuable compounds, whilst having a positive effect on the overall quality of the juices.

The extended shelf life of Elea PEF treated liquids substantially increases the time that juices can be delivered to store. Having more time available means that there is the opportunity for an extended market reach, lower delivery costs and decreased product handling. This all ultimately results in reduced product return rates.

Using Elea PEF means that juices and smoothies retain their natural nutritional value, including vitamins, antioxidants and pigments, to produce a healthier, fresher and more appetising final product.

Microbial inactivation and extending shelf life

The Elea PEF process has a positive effect at every stage of the production cycle. Despite lower energy costs there is an increased yield from raw materials and the shelf life of products is extended dramatically. This increase in shelf life has a favourable impact on supply chain logistics from factory to retailer, which in turn reduces wastage.

Juice being tested in our PEF liquids pilot hall



Increasing market reach

Better production planning

Extended shelf life results in greater flexibility for production planning. It means that you have the ability to collate smaller lots into larger batches to reduce overheads and manufacturing costs.

Extraction benefits for juices

PEF is a gentle and targeted process that opens pores in the plant cell as the fruit mash passes through the Advantage system. Colour and valuable compounds can then be extracted without the need for additional enzymes.



Fresh green juice Limited 3-4 days shelf life



Thermal treated Colour loss Reduced quality Lower nutritional value



PEF treated by Elea Advantage Pipe

Low temperature processing Retained nutritional value Increased market reach Fresh taste Bright colour Longer shelf life Cost savings

Comparing PEF with other processes

Low temperature, low maintenance and 24 hour continuous operation, make our PEF systems the best value juice processing solution.

Compare the Elea PEF Advantage Pipe systems to the traditional thermal and HPP juice and smoothie processing.

The biggest difference between PEF and conventional thermal pasteurization is the mechanism behind it.

While conventional treatment uses temperature to inactivate the bacteria, PEF is a low temperature process that gently inactivates microorganisms using electroporation.

A possible alternative to PEF is High Pressure Processing (HPP). It uses pressure to trigger protein denaturation and induce a low heat load microbial and enzyme inactivation in batch operation

As PEF is a continuous process it allows high volume processing and is easy to integrate into existing processing lines. PEF requires a very small footprint and electric energy supply. Due to short residence times PEF systems are usually not required to be placed in chilled environments. Elea Advantage PEF systems make use of a solid state pulse modulator, hence very little maintenance is required.

In total PEF results in processing costs of $0,01 - 0,02 \in$ per liter of product, substantially lower than any other low heat technology suitable for juices or smoothies. As PEF is applied pre-bottling it is independent of the type of bottling material. PET or glass bottles, pouches or other consumer packaging can be used. But also B2B solutions such as sterile tanks are suitable.

In summary PEF is the superior solution for all premium products.





Less energy usage



Less fracture



Brighter colour



Faster blanching time



Improved quality



. . .

Reduced water consumption



Improved texture and crispiness



Reduced blade wear

Less heat

Significantly increased

shelf life





New cuts and shapes




Faster frying time

Less oil



Enhanced process optimisation



Improved Cutting



Accelerated drying



Higher capacity






Better production planning











Higher yield



Extraction of

valuable compounds

Low temperature processing

Retention of fresh taste



Preservation of higher nutritional value



Colour extraction



Faster freeze drying



Higher probiotic value















Product and process benefits of Elea Pulsed **Electric Field**

PEF reveals new applications to both process and raw produce.

PEF brings positive and dramatic changes to the manufacturing process as well as to the actual raw materials themselves.

From saving energy and lowering water usage, to increasing yield and improving colour and quality.

As Elea PEF is applicable to all products where quality counts it will become the preferred industry technology.



No enzymes needed




Bacterial spore control




Retention of healthy ingredients



Exceptional shape stability of freeze dried products





Fruit puré Premium quality

Strawber

P

Freeze drying

Acerola cherr

O

Antioxidant extraction

Tomato jui


Ì

Shelf life extension & viscosity managemen

13


27

41



Melon juic

14



Kiwi puré

Pomegranate


juic

16

44


15 0 Premium quality High quality product


29





Low heat treatment
















18

Pesticio


Pain

•








19



Waste wate














V

F

Low energy sugar extraction

 \sim


Extraction of althy compounds

Brocco

48

Potat

20



35

49

Onio


Drying enhancemen


Sugar cane

M


Increase sugar yield


21





-





Cold press olive oil

51

The periodic table of products Elea PEF is applicable to a broad range of products, some can be seen here on our improved by Pulsed Electric Field periodic table. More are yet to be discovered.

At Elea we've designed and developed systems that enable food, beverage and non-food products to be used in new and exciting ways. Releasing the potential of these raw materials has a vast number of benefits, including cutting improvement, higher nutritional value and increased shelf life.

Using our customisable systems designed and engineered in Germany, these benefits can be applied to a broad range of products such as juices, beer, puree, mashes, fruits and vegetables.

The full capability of these systems has yet to be realised and we are working to unravel even more benefits across other sectors in the future. We are continuously discovering new applications for Elea PEF.





Discover Elea PEF systems


Introducing our range of three systems

Designed and engineered in Germany to the highest standard

Elea PEF systems provide unparalleled value and energy efficiency to the manufacturing process. The Elea PEF Advantage Belt processes solid raw materials. The Elea PEF Advantage Pipe enables microbial inactivation in liquids and extracts valuable compounds from fruit mashes. PEF Pilot Dual is used for trials and research simulating Elea PEF systems at a small scale or for small production.

Customisable and available in a range of process capacities to ensure that they fit seamlessly into your existing production line, our systems are designed with the individual clients needs in mind.


All Elea Advantage and PEFPilot[™] systems are engineered to the highest specifications and ensure continuous 24/7 operation.



PEF Advantage B 10, 100 & 1000



PEF Advantage B 1



PEF Advantage P 10, 100 & 1000



PEF Advantage P 1



PEFPilot Dual





PEF Advantage B 10, 100, 1000

Tubers, roots, vegetables & fruits

The Elea Advantage Belt, is the ideal solution for the treatment of tubers, roots, vegetables and fruits. Available in four models, 1, 10, 100 and 1000, each option can be customised to fit your needs.

The Advantage Belt systems range can process 1 – 70 t per hour, has quick start-up, small footprint and low energy and water usage.

The state-of-the-art control system with touch screen panel means that you can fully manage the process with maximum reliability and user safety.



Pulse Generator

| Sweet Potato | Sugar Beet | Potato |
|--------------|---|----------|
| Onion | Grass | Cassava |
| Pomace | Tomato | Olives |
| Sugar Cane | Meat | Broccoli |
| | Constant of the search of the | Mushroom |

| control system | Touch screen, measurement of peak voltage and current, connectors for oscilloscope, safety interlock, emergency off. |
|----------------|--|
| cooling | Air or water cooled depending on system. |
| dimensions | Dependent on system, stainless steel cabinet. |


Continuous Treatment Belt

| capacity | Up to 60 t/h of potato in a potato water mixture. |
|------------------|---|
| water management | Automated level control, overflow channel, automated drain valve, water conductivity and temperature measurement. |
| electrodes | Stainless steel. |
| dimensions | Dependent on system, belt should be attached to generator. |
| power supply | Supplied from generator. |
| | |

Services Required

| power supply | 400/415 V, 50 Hz (3Phase/Ground), 100 A Other options available. |
|----------------|---|
| water | Water supply to treatment belt. |
| compressed air | 6 bar. |
| drain valve | DN150 Flange. |








PEF Advantage B 1 & B 1 mini

All in one compact belt system

We've taken the technology and intelligence of the larger PEF Advantage Belt systems and reworked it to create a compact, all-in-one affordable and flexible solution for businesses looking for an output of up to 9 t/h.

A solid state system using the latest technology to obtain maximum reliability and user safety with an award winning design.





PEF Advantage B 1 & B 1 mini

| capacity | In a potato water mixture subject to process requirements. |
|------------------|--|
| B 1 mini B1 | one single potato up to 3 t/h one single potato up to 9 t/h |
| safety standards | UL, ULc or CE |
| water management | Automated level control, water conductivity and temperature measurement. |
| construction | Stainless steel. |
| dimensions | 3795 x 1730 x 2080 mm (LxWxH). |
| tank capacity | Approx. 1500 lt. +/- depending on working level. |
| weight | Approx. 2300 kg (empty). |
| power supply | 400 V, (3Phase/Ground), 32 A, other options available. |
| pulse shape | Rectangular pulses with high energy efficiency. |
| control system | Siemens PLC: Option of remote operation, maintenance and fault diagnosis. Touch screen operation. |
| | Display of processing parameters. |
| optional | Various types of platforms to integrate system into existing installations. |
| | |

Services Required

| power supply | 400 V, (3Phase/Ground), 32 A, other options available. |
|----------------|--|
| water | Potable water supply to treatment belt. |
| compressed air | 6 bar. |
| drain valve | DN150 Flange. |















PEF Advantage P 1, 10, 100 & 1000

Liquid & semi-liquid foods

Our PEF Advantage Pipe (1, 10, 100 and 1000) range can process both food and non-food liquid or semi-liquid products. The Elea PEF process inactivates bacteria to increase shelf-life and due to its gentle low temperature processing character retains freshness and quality. These systems also enable the extraction enhancement of several valuable compounds such as vitamins, colour and antioxidants from fruit mashes and achieve a higher level of juice yield.

The range can fulfill capacities between 50 L and 10,000 L per hour and each system has a hygienic integrated design that is CIP and SIP ready.

These systems put control in the hands of the operator and offer customisation of the process parameters. Close monitoring ensures compliance with all HACCP requirements and the modular design of the Advantage Pipe is simple to configure and easy to maintain.

Pulse Generator

| control system | Touch screen, measurement of peak voltage and connectors for oscilloscope, safety interlock, emerged |
|----------------|--|
| cooling | Air or water cooled depending on system. |
| dimensions | Dependent on system, stainless steel cabinet. |

Continuous Treatment Chambers

| capacity | Up to 10 000 l/h of pumpable products, subject to load ratio and process requirements. |
|------------|--|
| electrodes | Titanium. |

Services Required

| power supply | 400/415 V, 50 Hz (3Phase/Ground), 100 A. Other options available. |
|--------------|--|
| cooling | Air or water cooled depending on system. |







to

Ĝ L Wine Tomato Pesticide \$\$€ ₩ Flowers ste wa egrana Milk Kale ssion fruit Milk B D Ċ range ju uit puré onut wat Ł **∎**

Apple

Coolant

🜔 elea

PEF Advantage P 1

Pulsed Electric Field liquid system

The PEF Advantage P 1 is the latest development from Elea and is a versatile PEF system developed for use in extraction or smaller volume processing of liquids. A PEF system using the latest technology to obtain maximum reliability and user safety, while maximizing the benefits and results. The system has a separate treatment cabinet containing the treatment cells, allowing for easier installation into existing installations.



Technical data


| coolingWater and air cooled.dimensionsGenerator1416 x 1783 x 100 mm (W x H x D)Treatment cabinet1000 x 1629 x 687 mm (W x H x | control system | Siemens PLC and touch screen, safety interlocks |
|---|----------------|--|
| | cooling | Water and air cooled. |
| | dimensions | Generator $1416 \times 1783 \times 100$ mm (W x H x D) Treatment cabinet $1000 \times 1629 \times 687$ mm (W x H x D) |

Treatment Cabinet

| treatment cells | Titanium electrodes with peek insulators |
|------------------|--|
| capacity | up to 500 liter/hr. for shelf life extension and 7 t/hr. for extraction |
| sensors included | Standard - Flow meter. Options - conductivity and temperature sensors pre and post treatment, pneumatic back pressure control valve. |
| | |

System services required

| power supply | 400V, 50 Hz, 35 A (10 kW), 480V, 60 Hz, 32 A (10 kW) |
|--------------------|---|
| cooling water | 1 bar minimum pressure max inlet temperature 25°C. Connection DIN 11864-3 DN 20 clamp connection (pipe stubs are delivered for welding a connection to match the connection on the system) |
| compressed air | 6 bar. ½" hose connection |
| product connection | DIN 11864-3 clamp connection – DN size depends on application (pipe stubs are delivered for welding a connection to match the connection on the system) |



PEFPilot™ Dual

Pulsed Electric Field trial & compact production system

The PEFPilot™ Dual is a versatile PEF system, and can be delivered as a batch or liquid system. As changeovers are easy and quick it is suitable for research and development or small volume production. A PEF system using the latest technology to obtain maximum reliability and user safety.

| Pulse Generator | | |
|-------------------------|---|--|
| control system | Siemens PLC and touch screen, safety interlocks, for continuous liquid mode we also include flow meter, and temperature sensors | |
| cooling | Water and air cooled. | |
| Batch treatment chamber | | |
| electrodes | Stainless steel | |
| insulator material | PE | |
| dimensions | 1328 x 1789 x 1129 mm (W x H x D) Volume 10 l, others may be available on request. | |

Liquid treatment chamber

| capacity | up to 250 l/h depending on process |
|------------------|---|
| electrodes | Titanium |
| sensors included | Flow meter and temperature sensors pre and post treatment |

System services required

| power supply | 400V, 50 Hz, 35 A (10 kW), 480V, 60 Hz, 32 A (10 kW) |
|---------------|---|
| cooling water | 1 bar minimum pressure max inlet temperature 25°C. Connection DIN 11864-3 DN 20 clamp connection (pipe stubs are delivered for welding a connection to match the connection on the system) |






¥ 0 Potato Sugar Beet Grape 888 Flowers Strawbern Kale Olives Ł Wine Apple R Tomato aste wate assion fruit Pineapple È

range ju

ruit puré



Grass















PEF monitoring tools

Our range of monitoring systems have been designed and built by us to keep your PEF treatment parameters optimised.





Cut Control

Monitor quality control with precision and optimise treatment conditions for potato and vegetable cutting with Elea CutControl.

Developed to measure the cutting force in roots, tubers and vegetables both before and after PEF treatments, Elea's Cut Control is an important tool when it comes to product quality control.

The Cut Control system is an industry-ready measurement unit that's ideal for use in a quality control lab, yet it's also portable to allow direct operation right at the heart of the production line. Delivered with a handy storage and transport case, the system also comes with two cutting grids and a sample preparation grid as standard.

The pneumatic pressure sensor helps to identify the optimum PEF treatment intensity and recommend the best parameters to achieve exceptional product yield, quality and flexibility. This can then be kept consistent throughout the production process.

PEF Control

Directly measure PEF impact on the cell disintegration level and optimise mass transport processes, such as sugar extraction, drying or infusion.



SafeJuice data logger

Easily monitor PEF treatment parameters for your juice and smoothie products.

Elea has developed SafeJuice, a process monitoring tool for example adaptation of processing conditions or to to fulfill all operator and HACCP needs. initiate reprocessing.

SafeJuice allows easy PEF implementation into industrial juice processing lines. The system includes modules for on-line acquisition and analysis of processing data such as energy delivery and treatment temperature as well as relevant product parameters such as conductivity, °Bx or pH.

As a result, the applied treatment intensity can be calculated in real time, allowing process monitoring as well as taking action in case of unexpected deviations,

Developed to measure the cell disintegration level in roots, tubers, vegetables and other food products, also small food like berries both before and after PEF treatments.

Monitor cell disintegration before and after various levels of Pulsed Electric Field treatment to optimise treatment conditions for fruit and vegetable processing with Elea PEF Control.

The PEF Control system is an industry-ready measurement unit that's ideal for use in a research lab, yet it's also portable enough to allow direct operation right at the heart of the production line. Delivered with a handy storage and transport case, the system also comes with a measuring fork on a handle as standard.

Designed and built with the same care, quality and technical expertise as our other systems, it's the ideal addition to understand and enhance the benefits of PEF treatment

With the new paperless SafeJuice data logger, processing data can be visualized and fully documented to ensure the production of safe juice and smoothie products of best retained natural quality and freshness.









Designed and built by Elea at our facility in Quakenbrück, Germany

We are the leading provider of PEF technology in the world

Elea designs and manufactures PEF machines of outstanding quality for your production line.

The Elea manufacturing and assembly facility is located at Quakenbrück, Germany, adjacent to our R&D department and pilot hall facilities.

Elea focuses on the highest quality manufacturing, customer requirements and short lead times.

Each one of our systems is designed to be easily and fully integrated into your production line. PLC control and extensive monitoring options guarantee ease of operation.

Robust build and solid state typology makes our technology exceptionally reliable. Elea PEF machines are designed for 24/7 operation in any production environment.

We currently have over 40 personnel working in manufacturing, including design, electrical, mechanical, and software programming. All of them experts in their field.

Our dedicated installation and field service team works closely with the customer to ensure a smooth and successful commissioning of our systems.

Designing PEF systems with our engineering team



Elea field technicians focus on installation and maintenance to ensure worldwide customer service and pro-active maintenance. With options for remote monitoring or service contracts we provide each customer with around the clock technical support.





Application support & pioneering PEF research

No one is better placed to help trial your product with Pulsed Electric Field

With more than 175 PEF systems in full production today we are recognised as sector leaders with a first-class reputation for our scientific and engineering expertise.

At Elea our experts can manage your PEF project from blueprint to production line, on-time and on-budget. Every PEF system we design is tailor-made to your specific needs.

Our scientists and engineers work with our clients every step of the way offering expert guidance and professional advice for their application. We take your product concept and apply our industryleading knowledge and experience to designing a system that will deliver greatest value.

Through our R&D programes we continuously strive for new Pulsed Electric Field opportunities and applications. New innovations and discoveries are often driven by our collaborative R&D projects. The knowledge gained from this research is directly funnelled into new PEF solutions and applications via the Elea Advantage systems.

Elea is currently involved in a wide range of PEF collaborative research projects including stimulation of algae for improved growth and extraction, PEF drying optimization for improved quality and form stability, new improvements for meat processing and exciting new opportunities for wine.

Running juice trials in our PEF liquids pilot hall



Elea has built a valuable network of research partners from both academic and industry backgrounds from all over the globe. These include research institutes such as DIL and FEI, and universities such as the University of Applied Science of Osnabrück, University Vienna BOKU, CPUT in South Africa and the Warsaw University Of Life Sciences in Poland.

Elea's research projects are adding constantly to our knowledge base and system expertise.

Trialing your new application with Elea

Get the best results for your product with our help

Elea offers trialing and expertise in our specially designed pilot halls. We can also place our PEF systems in your production line for onsite-trials.

Our custom-built pilot hall in Quakenbrück is fully equipped with state-of-the-art devices to emulate your production process.

Here we develop new applications and opportunities for PEF and are able to mirror industrial processes. Every PEF solution we develop is customizable and then up-scalable to a production line.

The core apparatus to many of our lab or pilot scale research projects are the Elea PEFPilot[™] Dual systems. Enabling us to develop new products and services in conjunction with our research partners.

The results gained at smaller volumes with the PEFPilot is then up-scalable to our production systems.

Trial examples:

- Shelf life study for liquids.
- Optimisation studies: trials regarding process optimisation and process savings.
- Long term trials on customer site.
- Frying trials with new cutting shapes or new raw materials.
- Drying and freeze-drying trials in pilot scale.

Pilot hall features

- Trial batch PEF system with various chamber sizes.
- Continuous liquid PEF system + liquid handling system (tube in tube heat exchanger/cooling system).
- Industrial scale slicers with various cutting heads allowing to cut new and special shapes (e.g. Gothic arch cut).
- Professional fryers to mimic typical frying curves.
- Cutting force measurement devices.
- Good collaboration with local laboratories.
- Various juice extracting machinery for e.g. citrus fruits, fruits and vegetables and mashes.
- Special freezing and drying equipment.
- Packaging machine in tabletop size (e.g. vacuum or nitrogen packaging).
- Wide range of analysis equipment
 (e.g. in-time-analysis while test runs)
- Huge additional analytical capacity at our neighbouring laboratories of the German Institute of Food Technologies (DIL)
- Long term trials on customer site.
- Frying trials with new cutting shapes or new raw materials.
- Drying and freeze-drying trials in pilot scale.



















W %j Gp ≣**#**O≣ Ċ, Ê A D Ŵ Y D 8 ENT. Ċ Sour Ŧ V W. P Milk Å) P ≡¥0≡ Sirup °°° 6 es feb L H () ÌÈ Ŵ **A V** Yogurt 8 R ¥ \mathbb{Y} -Ŧ ÞÞ Ð Ś ¥ ¥. Milk Å Č ≡**40**≡ 40 63 P $^{\circ\circ}_{\circ\circ}$ E F L () () þ H Ì Y Å A Ch \bigcirc 8 8 ENT. \mathbb{Y} ()), ()), r V 🔈 elea ÞÞ +49 (0) 5431 92629 70 info@elea-technology.com Milk ¥ A *** \bigcirc www.elea-technology.de Prof.-von-Klitzing-Str. 9 D - 49610 Quakenbrück ≡¥0≡ Germany ۲ \bigcirc °°° (MMAXXX) 2311 200 Y 2 jas-2-0